# Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008 Individual Multiple Choice Contest

$2^2+3^2+6^2=49=7^2$ $3^2+4^2+12^2=169=13^2$ $4^2+5^2+20^2===\frac{1}{100}$ $-100$ $-100$ A) 29 B) 31 C) 33 D) 34 E) 35  2 How many lattice points (points $(x,y)$ ) where $x$ and $y$ are both integers) in the fourth quadrant does the line $5x-3y=101$ pass through?  A) 5 B) 6 C) 7 D) 8 E) The answer not given.  3 What positive value of $x$ makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of $7$ children has at least 2 girls? Assume that the probability of a children as a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	1	If the pattern below is extended to the fifth row, what number would fit for x? $1^2 + 2^2 + 2^2 = 9 = 3^2$					
$\frac{4^2 + 5^2 + 20^2 = 1}{128} = \frac{1}{8}$ A) 29 B) 31 C) 33 D) 34 E) 35  2 How many lattice points (points $(x, y)$ where $x$ and $y$ are both integers) in the fourth quadrant does the line $5x - 3y = 101$ pass through?  A) 5 B) 6 C) 7 D) 8 E) The answer not given.  3 What positive value of $x$ makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a children as a girl? Assume that the probability of a children as a girl? Assume that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?							
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				3 <sup>2</sup> +	$4^2 + 12^2 = 169 = 13$	$3^2$	
A) 29 B) 31 C) 33 D) 34 E) 35  2 How many lattice points (points $(x, y)$ where $x$ and $y$ are both integers) in the fourth quadrant does the line $5x-3y=101$ pass through?  A) 5 B) 6 C) 7 D) 8 E) The answer not given.  3 What positive value of $x$ makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?							
How many lattice points (points $(x,y)$ ) where $x$ and $y$ are both integers) in the fourth quadrant does the line $5x-3y=101$ pass through?  A) 5 B) 6 C) 7 D) 8 E) The answer not given.  What positive value of $x$ makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?				+			
$5x-3y=101 \text{ pass through?}$ A) 5 B) 6 C) 7 D) 8 E) The answer not given.  3 What positive value of x makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		· ·	·				
A) 5 B) 6 C) 7 D) 8 E) The answer not given.  What positive value of x makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	2	How many lat	ttice points (point	s $ig(x,yig)$ where $x$	and $y$ are both int	tegers) in the fourth quadrant does the line	
What positive value of x makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		5x - 3y = 10	01 pass through?				
What positive value of x makes this proportion true? $\frac{169}{x} = \frac{x}{289}$ A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?							
A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		A) 5	B) 6	C) 7			
A) 209 B) 214 C) 221 D) $100\sqrt{5}$ E) 225  4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	3	What positiv	e value of x make:	s this proportion			
4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		·			X	289	
4 Evaluate: $5\frac{2}{15} \times 6\frac{6}{7}$ A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ 5 What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ 6 Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		4) 200	D) 214	C) 221	N 100 /F	L/ 33E	
A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		A) 209	2 6	C) 221	υ) 100√3	E) 225	
A) $31\frac{17}{21}$ B) $33\frac{3}{5}$ C) $34\frac{3}{7}$ D) $34\frac{1}{21}$ E) $35\frac{1}{5}$ What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	4	Evaluate:	$5\frac{2}{15} \times 6\frac{0}{7}$				
What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?			15 /				
What is the probability that a family of 7 children has at least 2 girls? Assume that the probability of a child being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		24 17	223	3	24 1	251	
being a girl is equal to the probability of it being a boy, and that there are no twins, triplets, etc.  A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		$\frac{A)}{21}$	B) 33 <u>—</u> 5	c) 34 <del>-</del> 7	D) $34{21}$	E) 35— 5	
A) $\frac{121}{128}$ B) $\frac{15}{16}$ C) $\frac{119}{128}$ D) $\frac{61}{64}$ E) $\frac{117}{128}$ Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	5	What is the p	probability that a	family of 7 childr	ren has at least 2 g	girls? Assume that the probability of a child	
Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		being a girl is	s equal to the prob	pability of it being	g a boy, and that t	here are no twins, triplets, etc.	
Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		121	15	119	61	117	
Tom and Jerry are running toward a mouse hole 400 meters away. Both run at a constant speed, and Jerry runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?		A) $\frac{121}{128}$	B) $\frac{15}{16}$	C) $\frac{117}{128}$	D) $\frac{61}{64}$	E) 117 128	
runs 1 meter per second faster than Tom. If Jerry's time to the mouse hole is 20 seconds less than Tom's time, which of the following is Tom's speed in meters per second?	6	-					
		runs 1 meter	per second faste	r than Tom. If Je	rry's time to the	mouse hole is 20 seconds less than Tom's	
		time, which o	of the following is	Tom's speed in m	eters per second?		
A) 34 B) 22 C) 16 D) 5 E) 4		A) 34	B) 22	C) 16	D) 5	E) 4	
7 What is the median of all the two digit prime numbers?	7		•	•		,	
A) 47		4) 47	D) E2	C) EO	N) /1	E) /7	
A) 47 B) 53 C) 59 D) 61 E) 67 8 What is the area, in square centimeters, of a circle with a circumference of $28\pi$ cm?	0	<u> </u>	•	•		•	
What is the area, in square centimeters, of a circle with a circumperence of 20% cities	0	What is the	ui eu, in squai e cei	mimerers, or a cir	cie wim a cii cum	Telefice of 20% cities	
A) $160\pi$ B) $169\pi$ C) $190\pi$ D) $200\pi$ E) The answer not given.		A) $160\pi$	B) $169\pi$	c) 190π	D) $200\pi$	E) The answer not given.	
9 What is the sum of all 2 digit numbers that can be formed from the digits 2, 5, 8, 9? (Digits can be repeated	9		•	numbers that can	be formed from t	he digits 2, 5, 8, 9? (Digits can be repeated	
within a number.)		within a numb	ber.)				
A) 561 B) 1056 C) 792 D) 729 E) The answer not given.		A) 561	B) 1056	C) 792	D) 729	E) The answer not given.	

# Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008 Team Contest

1	Write the letters A-F in order of ascending value.
	$A = 138 \times 142$ $B = 9^2 \cdot 15^2$ $C = 20,000$ $D = 145 \times 135$
	$E = 16^2 + 12^2$ $F = 17^2 \cdot 7^2$
2	In a triangle with sides measuring 9, 11, and 12 cm, what is the length, in centimeters, of the shortest altitude?
3	Rex finished a 100 mile race in 1.5 hours, a 350 mile race in 4.5 hours, and a 600 mile
	race in 9 hours. What was Rex's fastest average speed in a single race, in miles per hour?
4	A sheep is tethered to an external corner of a barn in the shape of an equilateral
	triangle. If the tether is 60 m long and the sides of the barn are 30 m long, what is
	the area, in square meters, that the sheep can graze?
5	
	Evaluate: $\frac{14}{5 + \frac{14}{5 + \cdots}}$
	$\frac{5+\overline{5+\cdots}}{5+\cdots}$
6	At Crusty Crumbs, patrons can have donuts made to order with their choice of
	toppings. They offer:
	rainbow and chocolate sprinkles;
	sugar, maple, and chocolate glazes;
	cream and raspberry fillings;
	raisins;
	and chopped nuts,
	but you can have at most one glaze and at most one filling per donut. How many
	different donuts can be made?
7	When three cards are drawn from a standard 52-card deck, what is the probability
	that they are of three different suits?
8	What is the sum of the terms of an infinite geometric sequence with a fifth term of
	128 and a common ratio of $\frac{1}{3}$ ?
9	A set of seven integers from 0 to 100 inclusive has a unique mode of 52, a median of
	49, and a mean of 53. What is the maximum possible value of the range?
10	Use the digits 9, 8, 6, and 4 exactly once each and parentheses and the operations +, -
	, $\times$ , and $\div$ as much or as little as desired to create an expression which evaluates to 28.

# Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008 Pressure Round Contest

1	What value(s) of z satisfy the following?
	3(z-4)+2(4z+1)-(4z+8)-3(z-4)=5(2z-6)-4(z+2)+(8-3z)+2(4z+1)
2	Express in simplest radical form: $\sqrt{33075}$
3	How many ways can a matriarchal village consisting of nine men and eight women select three elders such that the number of female elders is greater than the number of male elders?
4	If $y(x) = 3x + 5$ and $w(v) = 2v^2 - 4$ , evaluate $y(w(-1))w(y(-1))$ .
5	The number $1A345BA8$ is divisible by 24. What is the largest possible sum of $A$ and $B$ ?

# Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008 Mental Math Contest

PERSO	ON 1	
1.1	What is the sum of the first eleven positive even numbers?	132
1.2	What is the surface area, in square centimeters, of a cube with edges measuring three centimeters each?	54 [cm <sup>2</sup> ]
1.3	When the special number is tripled and the result is reduced by fourteen, the final answer is seventy. What is the special number?	28
1.4	What is the greatest common factor of thirty-six and forty-four?	4
PERSO	DN 2	
2.1	What is the measure, in degrees, of each interior angle of a regular eighteen-gon?	160 [°]
2.2	What is the slope of the line with equation two X plus six Y equals fifteen?	-1/3
2.3	A tank has three piranhas and seven stingrays. If I randomly choose two of these to eat, what is the probability that I pick one of each?	7/15
2.4	What is the largest prime number less than 40?	37
PERSO		1
3.1	What is the sum of the terms of an infinite geometric sequence with a first term of seven and a constant ratio of five over twenty-two?	154/17
3.2	In Guitar Hero Three, Jeremy just scored nearly three million points on "Hit	819
	Me With Your Best Shot". If he achieved this score by hitting ninety	[notes]
	percent of the notes and there are nine-hundred ten notes, how many notes did he hit?	
3.3	What is the perimeter, in centimeters, of a rectangle with a dimension of fifteen centimeters and an area of forty-five centimeters?	36 [cm]
3.4	The sum of two numbers is forty-six and their difference is ten. What is the larger of the two numbers?	28
PERSO	ON 4	
4.1	A right rectangular prism has side lengths of seven, eight and nine units. Find the length of one of its space diagonals.	√194 [units]
4.2	When two fair six-sided dice are rolled, what is the probability that the product of the numbers shown is four?	1/12
4.3	What is the distance between the point four COMMA negative nine and the point seven COMMA negative six?	3√2
4.4	What is five factorial plus four factorial?	144

Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008

### **COLLEGE KNOWLEDGE BOWL ROUND #1**

#	Problem	Answer
1	What is the log in base three of seven-hundred	9
	twenty-nine plus the log in base seven of three-	
	hundred forty three?	
2	What is the product of twenty-four and three-	7536
	hundred fourteen?	
3	A corral contains both horses and humans. If there	22 [humans]
	are forty-three heads and one-hundred twenty-eight	
	feet, how many humans are in the corral?	
4	Three circles of radius twelve centimeters are	$24 + 16\sqrt{3}$ [cm]
	mutually externally tangent, and a fourth circle is	
	circumscribed around them, tangent to all three.	
	What is the diameter, in centimeters, of the fourth	
	circle?	
5	What is the sum of the number of days in the next	1689
	four years, the number of inches in three yards, and	
	the number of minutes in two hours?	
6	T is inversely proportional to S, but proportional to the	5
	cube of R. If T is twenty when S is ten and R is thirty,	
	what is T when S is five and R is fifteen?	
7	What is the probability that when six fair coins are	57/64
	flipped at least two of them show tails?	
	Extra Problem - Only if Needed	
8	How many rectangles of any shape or size are formed by the gridlines in a three by four array of unit squares?	60 [rectangles]
L	grames ma mice by four array of ann squares:	<u> </u>

Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008

### COLLEGE KNOWLEDGE BOWL ROUND #2

#	Problem	Answer
1	What is the quotient when one-thousand ninety-two is	39
	divided by twenty-eight?	
2	In the dataset three, five, eleven, thirteen, thirteen,	33
	what is the sum of the mean, mode, and median?	
3	What is the sum of five to the fifth power and four to	3381
	the fourth power?	
4	How many integers are in the domain of the real-valued	23 [integers]
	function Q of P equals the square root of the quantity	
	[PAUSE] one-hundred twenty-five minus P squared?	
5	When the digits of a positive two-digit number are	26
	reversed, the result is sixteen less than three times	
	the original number. What was the original number?	
6	Convert the base six number three-four-five to a base	137[10]
	ten number.	
7	What is the volume, in cubic centimeters, of a right	448 $\pi$ [cm <sup>3</sup> ]
	circular cylinder with a base radius of four	
	centimeters whose surface area is equal to that of a	
	sphere with a radius of eight centimeters?	
	Estra Drahlam Only if Nosdad	
	Extra Problem - Only if Needed	
8	What is the sum of X and Y in the sequence fourteen, nineteen,	84
	X, thirty-two, forty, forty-nine, Y?	

# Sponsored by: Western Polymer Corporation 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008

### COLLEGE KNOWLEDGE BOWL ROUND #3

#	Problem	Answer
1	How many ways can Bryan choose three T-shirts to pack	35 [ways]
	for a trip from the seven in his closet?	
2	What is the radius of the circle with equation X squared	3√5
	minus eight X plus Y squared plus four Y equals twenty-	
	five?	
3	What is the distance between the vertices of the	1/3
	hyperbola with equation thirty-six X-squared minus nine Y-	
	squared equals one?	
4	What is the smallest integer value of <i>n</i> such that a regular	20
	N-gon has more diagonals than it has degrees in one of its	
	interior angles?	
5	If the quantity M plus nine over the quantity M minus	-3
	three is equal to the quantity M plus four over the quantity	
	M plus two, what is the value of M?	
6	Evaluate the quantity negative one [PAUSE] to the negative	-24/25
	third power [PAUSE] plus the quantity negative five	
	[PAUSE] to the negative second power.	
7	What is the area, in square centimeters, of an equilateral	$25\sqrt{3} \ [cm^2]$
	triangle with a side measuring ten centimeters?	
	Extra Problem - Only if Needed	
	·	
8	If Erik can build a wall in fifteen days and Tom can build a wall	12 [days]
	in sixty days, how many days would it take the two of them	
	working together?	

9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008

KEY
-----

School Name	Team #	
Proctor Name	Room #	First Score
STUDENT NAME		(out of 18)

### INDIVIDUAL MULTIPLE CHOICE - 15 minutes

This test is the only test where you will be penalized for incorrect responses. You will receive 2 points for a correct letter response, 0 points for leaving it blank and -1 point for an incorrect response. It is not necessary to write your personal name on the test, but you may put it at the bottom of the test so your coach will be able to give you back the correct test. This test is taken individually, but it is part of your team score, including zeros for missing team members. Your team score will be calculated by taking the mean of your four team members' scores. When you are prompted to begin, tear off the colored sheet and begin testing. Since this is a multiple choice test, ONLY a letter response should be indicated as an answer on the answer sheet. No talking during the test.

### DO NOT WRITE IN SHADED REGIONS

	Answer	-1, 0 or 2	-1, 0 or 2
1	В		
2	С		
3	С		
4	Е		
5	В		
6	Е		
7	A		
8	<b>Ε</b> (196π)		
9	В		



9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008

School Name	Team #	
Proctor Name	Room #	First Score
STUDENT NAME		(out of 20)

### Team Contest - Score Sheet

### TEAM TEST - 15 minutes

When you are prompted to begin, tear off the colored sheet and give a copy of the test to each of your team members and begin testing. Each problem is scored as **2 or 0**. Record all answers on the colored answer sheet.

### DO NOT WRITE IN SHADED REGIONS

	Answer	2 or 0	2 or 0
1	EFBDAC [in that order]		
2	$\frac{4\sqrt{35}}{3} \text{ [cm]}$		
3	700/9 [mph]		
4	$3300\pi + 225\sqrt{3} \text{ [m}^2\text{]}$		
5	2		
6	192		
7	169/425		
8	15,552		
9	77		
10	$4 \times (9+6-8)$ [and perhaps others = 28]		

### "Math is Cool" Masters - 2008-09 9<sup>th</sup> & 10<sup>th</sup> Grade - December 6, 2008



STUDENT NAME	
Proctor Name	Room #
School Name	Team #

#### PRESSURE ROUND - 10 minutes

When it is time to begin, you will be handed a packet of questions. There is a copy of the questions for each team member. Two minutes after the start of the test you are expected to submit an answer for one of the questions (it can simply be a guess). The maximum value of this answer is 1 point. In another two minutes you are expected to submit another answer to one of the four remaining questions; its maximum value is two points. This process will continue until all the questions are answered and each consecutive question's worth will go up by one point. You must submit your answers on the colored sheets given to you. If you do not have an answer at the end of a two minute period, you must still submit an answer sheet with an identified question number on it. Failure to do so will result in loss of points. This event is timed, and you will be given a verbal 5 second warning and told to hold your answer sheet up in the air. You may keep working as the sheets are collected.

### Pressure Round Answers

Answer	
1	22/7
2	105√3
3	308
4	-4
5	16